According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

High Pressure Grease 02

date of version: 08.08.2018 V 1.2 date of issue: 12.12.2017 1 | 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: High Pressure Grease 02

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses: Grease

Uses advised against: No usage which is apart from.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier KHS GmbH Juchostr. 20

44143 Dortmund www.khs.com Germany

Telephone: +49 (0)231 / 569-10000 Fax: +49 (0)231 / 569-410300

Contact Person: Service Products

E-Mail: service.products@khs.com

1.4 Emergency telephone

number

+49 (0)6131 / 19240 (24h-emergency call)

SECTION 2: Hazards identification

2.1 Classification of the substance

or mixture

The product has not been classified as hazardous according to regulation

(EU) no 1272/2008 (CLP), but must be labelled.

2.2 Label elements not applicable

Hazard statements: none

Precautionary statements:

Supplemental label elements: EUH208: Includes Calcium sufonat. Can cause allergic reactions.

EUH210: Safety data sheet available upon request.

2.3 Other hazards

Filling and Packaging - Worldwide

High Pressure Grease 02

date of version: 08.08.2018 V 1.2 2 | 13 date of issue:

SECTION 3: Composition/information on ingredients

3.1 Chemical characterization

General information: Grease: Thickener, additives in synthetic oil.

3.2 hazardous components

chemical defination	Identifier	Concentration *	classification CLP
calcium sulfonate	EINECS: 263-093-9 01-2119488992-18	1,00 - <10,00%	H317 May cause an allergic skin reaction
calcium sulfonate	EINECS: 271-529-4 01-2119492627-25	1,00 - <10,00%	H317 May cause an allergic skin reaction
Ca-sulfonate	EINECS: 274-263-7 01-2119492616-28	1,00 - <10,00%	H317 May cause an allergic skin reaction
Ca- sulfonate	EINECS: 247-557-8	1,00 - <3,00%	H315 Causes skin irritation. H318 Causes serious eye damage
enolamine, N-phenyl, reaction products with 2,4,4- trimethylpentene	EINECS: 270-128-1	1,00 - <2,50%	H412 Harmful to aquatic life with long lasting effects

All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.

PBT: persistent, bioaccumulative and toxic substance. vPvB: very persistent and very bioaccumulative substance

SECTION 4: First aid measures	SE	C	П	O	N	4:	Fir	st	aid	m	eas	ure	25
-------------------------------	----	---	---	---	---	----	-----	----	-----	---	-----	-----	----

General: Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Filling and Packaging – Worldwide

High Pressure Grease 02

date of version. 08.08.2018 V 1.2 3 | 13 date of issue: 12.12.2017

Promptly wash eyes with plenty of water while lifting the eye lids. Eye contact:

Skin Contact: Wash with soap and water. Im allgemeinen ist das Produkt nicht

hautreizend.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and delayed

Product be able to effects skin-, and eye irritations.

4.3 Indication of any immediate medical attention and special treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

CO2, fire extinguishing powder or fog like water spraying. Extinguish Suitable extinguishing media:

larger fires with alcohol resistant foam or spray water with suitable

surfactant added

Unsuitable extinguishing media: water in full jet.

Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

Advice for firefighters Move container from fire area if it can be done without risk. Dispose

of fire debris and contaminated fire fighting water inaccordance with

official regulations. Collect contaminated fire fighting water

separately. It must not enter drains.

Special fire fighting

procedures:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

High Pressure Grease 02

date of version: 08.08.2018 V 1.2 date of issue: 12.12.2017 4 | 13

SECTION 6: Accidental release n	neasare
6.1 Personal precautions, protective equipment and emergency procedures	not required
6.2 Environmental precautions	Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.
6.3 Methods and material for	Absorb with liquid-binding material (sand, diatomite, acidbinders,

6.4 Reference to other sections Section 01 Contact information in case of an emergency

risk.

Section 07 Handling and storage

Section 08 appropriate personal protective equipment

universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without

Section 13 Disposal considerations

SECTION 7: Handling and storage

containment and cleaning up

7.1 Precautions for safe handling Prevent formation of aerosols. Do not eat, drink or smoke when

working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial

hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting

products have to be followed.

7.3 Specific end use(s) no data available.

Storage Class: 11, Combustible solids

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended



High Pressure Grease 02

date of version: 08.08.2018 V 1.2 date of issue: 12.12.2017 5 | 13

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

8.2 Exposure controlsNone of the components have assigned exposure limits.

8.2.1 Appropriate engineering

controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2 Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual precautionary measures should be adhered to inhandling the

chemicals or the mineral oil products.

Eye/face protection: safety glasses (EN 166) recommended during refilling.

Hand Protection: Material: Nitrile butyl rubber (NBR).

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. To safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and

has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in

trouser pockets. Wear suitable protective clothing.

Respiratory Protection: Value not relevant for classification.

Thermal hazards: no data available.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

High Pressure Grease 02

date of version: 08.08.2018 V 1.2 date of issue: 12.12.2017 6 | 13

Hygiene measures: Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental Controls: no data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: firm
Form: paste
colour: yellow
odor: mild

odor threshold: Not applicable for mixtures

pH: not applicable

boiling Point: Not applicable for mixtures

flash point: Value not relevant for classification.

flash point: > 180 °C (DIN 51755)

evaporation Rate: Not applicable for mixtures

flammability (solid, gas): Value not relevant for classification.

flammability limit - Upper (%)—: Not applicable for mixtures flammability Limit - Lower (%)—: Not applicable for mixtures vapor pressure: Not applicable for mixtures vapor density (air=1): Not applicable for mixtures density: 0,95 - 1,05 g/cm3 (25 °C)

solubility(ies)

solubility in Water: insoluble

solubility (other): no data available.

partition coefficient (n- Not applicable for mixtures

octanol/water):

autoignition Temperature:

autoignition Temperature: Value not relevant for classification. decomposition Temperature: Value not relevant for classification.

kinematic viscosity: 2

explosive properties: Value not relevant for classification. oxidizing properties: Value not relevant for classification.

9.2 other information no data available.

Filling and Packaging – Worldwide

High Pressure Grease 02

08.08.2018 V 1.2 7 | 13 date of issue:

SECTION 10:stability and reactivity

10.1 reactivity Stable under normal use conditions.

10.2 chemical stability Stable under normal use conditions.

10.3 possibility of hazardous

reactions

Stable under normal use conditions.

10.4 conditions to avoid Stable under normal use conditions.

10.5 incompatible materials | | Strong oxidizing substances. Strong acids. Strong bases.

10.6 hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapors.

SECTION 11:toxicological information

11.1 information on likely routes of exposure

Acute toxicity

Oral Not classified for acute toxicity based on available data.

product:

specific substances

calcium sulfonate

calcium sulfonate

LD 50 (rat): > 16.000 mg/kg

Not classified for acute toxicity based on available data. **Dermal**

product:

specific substances

calcium sulfonate calcium sulfonate LD 50 (rat): > 4.000 mg/kg

Inhalation Not classified for acute toxicity based on available data.

product:

specific substances calcium sulfonate calcium sulfonate

no data available.

skin corrosion/irritation: Not classified for acute toxicity based on available data.

product:

specific substances calcium sulfonate

no data available.

calcium sulfonate

serious eye damage/eye irritation Not classified for acute toxicity based on available data.

product:

product:



High Pressure Grease 02

date of version: 08.08.2018 V 1.2 8 | 13 12.12.2017 date of issue:

specific substances

calcium sulfonate calcium sulfonate no data available.

respiratory or skin sensitization: Not classified for acute toxicity based on available data.

product:

specific substances calcium sulfonate calcium sulfonate

no data available.

germ cell mutagenicity

product:

in vitro

specific substances calcium sulfonate calcium sulfonate

Not classified for acute toxicity based on available data.

in vivo

specific substances calcium sulfonate calcium sulfonate

no data available.

no data available.

carcinogenicity

product:

specific substances calcium sulfonate calcium sulfonate

Not classified for acute toxicity based on available data.

no data available.

no data available.

reproductive toxicity

product:

specific substances calcium sulfonate

Not classified for acute toxicity based on available data.

calcium sulfonate

specific target organ toxicity -

single exposure

Not classified for acute toxicity based on available data.

product:

specific substances calcium sulfonate calcium sulfonate

no data available.

specific target organ toxicity -

repeated exposure

Not classified for acute toxicity based on available data.

product:

specific substances



High Pressure Grease 02

08.08.2018 V 1.2 date of version: 9 | 13 12.12.2017 date of issue:

calcium sulfonate

no data available.

calcium sulfonate

aspiration hazard Not classified for acute toxicity based on available data.

product:

specific substances

calcium sulfonate no data available.

calcium sulfonate

other adverse effects: no data available.

specific substances

calcium sulfonate no data available.

calcium sulfonate

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity

fish product: Based on available data, the classification criteria are not met.

specific substances

calcium sulfonate LC 50 (fish, 96 h): > 1.001 mg/l

calcium sulfonate

aquatic invertebrates product: Based on available data, the classification criteria are not met.

specific substances

EC50 (water flea, 48 h): > 1.001 mg/l calcium sulfonate

calcium sulfonate

chronic toxicity product:

fish product: Based on available data, the classification criteria are not met.

specific substances calcium sulfonate calcium sulfonate

aquatic invertebrates product: Based on available data, the classification criteria are not met.

specific substances calcium sulfonate calcium sulfonate



High Pressure Grease 02

08.08.2018 V 1.2 date of version: 10 | 13 12.12.2017 date of issue:

Based on available data, the classification criteria are not met.

specific substances calcium sulfonate calcium sulfonate

12.2 Persistence and Degradability Not applicable for mixtures

product:

specific substances calcium sulfonate calcium sulfonate

Not readily biodegradable (according to OECD criteria).

12.3 Bioaccumulative potential

product:

specific substances calcium sulfonate calcium sulfonate

Not applicable for mixtures

12.4 mobility in soil

product:

specific substances calcium sulfonate calcium sulfonate

Not applicable for mixtures

12.5 results of PBT and vPvB

assessment: specific substances calcium sulfonate calcium sulfonate

product does not includes indegriends

12.6 other adverse effects

specific substances calcium sulfonate calcium sulfonate

no data available.

water hazard class (WGK): WGK 1: slightly water-endangering.

SECTION 13: disposal considerations

13.1 waste treatment methods

general information: Dispose in accordance with all applicable regulations.

Filling and Packaging — Worldwide

High Pressure Grease 02

08.08.2018 V 1.2 11 | 13 12.12.2017 date of issue:

disposal methods: Do not empty into drains; dispose of this material and ist

container in a safe way. When storing used products, ensure

that the waste categories and mixing instructions are

observed.

12 01 12*: used waxes and fats

SECTION 14: transport information

ADR/RID

14.1 UN number:

14.2 UN proper

shipping name:

14.3 transport hazard class(es)

non-dangerous goods

class label(s)

hazard no. (ADR):

tunnel restriction code:

14.4 packing group:

14.5 environmental hazards:

14.6 special precautions for user:

ADN

14.1 UN number:

14.2 UN proper

shipping name:

14.3 transport hazard class(es)

non-dangerous goods

class

14.4 packing group:

14.5 environmental hazards:

14.6 special precautions for user:

IMDG

14.1 UN number:

14.2 UN proper

shipping name:

14.3 transport hazard class(es) non-dangerous goods

14.4 packing group:

14.5 environmental hazards:

14.6 special precautions for user:

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

High Pressure Grease 02

date of version: 08.08.2018 V 1.2 12 | 13 date of issue: **IATA** 14.1 UN number: 14.2 UN proper shipping name: non-dangerous goods 14.3 transport hazard class(es) class 14.4 packing group: 14.5 environmental hazards: 14.6 special precautions for user: **SECTION 15: regulatory information** 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture: **EU Regulations** Regulation (EC) No. 2037/2000 none Substances that deplete the ozone layer: Regulation (EC) No. 850/2004 on none persistent organic pollutants: national regulations WGK 1: slightly water-endangering. water hazard class (WGK): No Chemical Safety Assessment has been carried out. 15.2 chemical safety assessment:



Filling and Packaging – Worldwide

High Pressure Grease 02

date of version. 08.08.2018 V 1.2 13 | 13 12.12.2017 date of issue:

SECTION 16: other information

revision Information: Vertical lines in the margin indicate an amendment.

wording of the H-statements H315 Causes skin irritation.

in section 2 and 3

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

other information: The classification is in line with current EC lists. It is expanded, however, by

> information from technical literature and by information furnished by supplier companies. The classification results from the Conventional

Method mentioned in regulation EU 1272/2008 (CLP).

revision date: 08.08.2018

section 10.5 has been corrected. | section 3.1 has been corrected.

disclaimer: The data contained in this safety data sheet are based on our current

> knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements

> for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not

transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This

document was issued electronically and has no signature.