According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 1 | 10

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: Pressure Fluid 100

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses:

Uses advised against: No usage which is apart from.

1.3 Details of the supplier of the safety data sheet

Manufacturer / Supplier KHS GmbH Juchostr. 20

44143 Dortmund www.khs.com Germany

Telephone: +49 (0)231 / 569-10000 Fax: +49 (0)231 / 569-410300

Contact Person: Service Products

E-Mail: service.products@khs.com

1.4 Emergency telephone

number

+49 (0)6131 / 19240 (24h-emergency call)

SECTION 2: Hazards identification

2.1 Classification of the substance

or mixture

The product has not been classified as hazardous and does not need to be labelled according to regulation (EU) no 1272/2008 (CLP).

2.2 Label elements not applicable

Hazard statements: none

Precautionary statements:

Supplemental label elements: The product may not be released into the environment without control.

By handling of chemical products no particular hazard is known when normal precautions (item 7) and personal protective equipment (item 8)

are kept.

2.3 Other hazards

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 2 | 10

SECTION 3: Composition/information on ingredients

3.1 Chemical characterization

General information: Synthesis oil preparation with additives. The ingredients are not

hazardous and below the consideration limits.

SECTION 4: First aid measures

General: Change clothes and shoes contaminated or soaked by the product.

Never put rags contaminated by the product into clothing pockets.

Instantly remove any clothing soiled by the product.

4.1 Description of first aid measures

Inhalation: Supply fresh air; consult doctor in case of symptoms.

Eye contact: Promptly wash eyes with plenty of water while lifting the eye lids.

Skin Contact: Wash with soap and water. Im allgemeinen ist das Produkt nicht

hautreizend.

Ingestion: Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed

Product be able to effects skin-, and eye irritations.

4.3 Indication of any immediate medical attention and special

treatment needed

Get medical attention if symptoms occur.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media: CO2, fire extinguishing powder or fog like water spraying. Extinguish

larger fires with alcohol resistant foam or spray water with suitable

surfactant added

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 3 | 10

Unsuitable extinguishing media: water in full jet.

Special hazards arising from the substance or mixture

During fire, gases hazardous to health may be formed.

Advice for firefighters no data available.

Special fire fighting

procedures:

Self-contained breathing apparatus and full protective clothing must

be worn in case of fire.

SECTION 6: Accidental release measure

6.1 Personal precautions, protective equipment and emergency procedures

In case of spills, beware of slippery floors and surfaces.

6.2 Environmental precautions

Prevent from spreading (e.g. by binding or oil barriers). Avoid release to the environment. Environmental manager must be informed of all major spillages. Prevent further leakage or spillage if safe to do so. Do not allow to enter drainage system, surface or ground water.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (sand, diatomite, acidbinders, universal binders, sawdust). Dispose of the material collected according to regulations. Stop the flow of material, if this is without

risk.

6.4 Reference to other sections Section 01 Contact information in case of an emergency

Section 07 Handling and storage

Section 08 appropriate personal protective equipment

Section 13 Disposal considerations

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 4 | 10

SECTION 7: Handling and storage

7.1 Precautions for safe handling Prevent formation of aerosols. Do not eat, drink or smoke when

working with the product. Take usual precautions when handling mineral oil products or chemical products. Observe good industrial

hygiene practices. Provide adequate ventilation.

7.2 Conditions for safe storage, including any incompatibilities

Local regulations concerning handling and storage of waterpolluting

products have to be followed.

7.3 Specific end use(s) no data available.

Storage Class: 10, combustible liquids

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational Exposure Limits

8.2 Exposure controlsNone of the components have assigned exposure limits.

8.2.1 Appropriate engineering controls:

Provide adequate ventilation. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

8.2.2 Individual protection measures, such as personal protective equipment

General information: Wash hands before breaks and after work. Use personal protective

equipment as required. Personal protection equipment should be chosen according to the CEN standards and in discussion with the supplier of the personal protective equipment. The usual

precautionary measures should be adhered to inhandling the

chemicals or the mineral oil products.

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 5 | 10

Eye/face protection: safety glasses (EN 166) recommended during refilling.

.

Hand Protection: Material: Nitrile butyl rubber (NBR).

Avoid long-term and repeated skin contact. Suitable gloves can be recommended by the glove supplier. Use skin protection cream for preventive skin protection. Protective gloves, where permitted in acc. To safety directions. The exact break through time has to be found out by the manufacturer of the protective gloves and

has to be observed.

Other: Do not carry cleaning cloths impregnated with the product in

trouser pockets. Wear suitable protective clothing.

Respiratory Protection: Seek advice from local supervisor. Ensure good

ventilation/exhaustion at the workplace. Avoid breathing vapour/

aerosol.

Thermal hazards: no data available.

Hygiene measures: Always observe good personal hygiene measures, such as washing

after handling the material and before eating, drinking, and/or smoking. Routinely wash work clothing to remove contaminants.

Discard contaminated footwear that cannot be cleaned.

Environmental Controls: no data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: liquid Form: liquid

colour: colourless

odor: characteristic

odor threshold: no data available.

pH: not applicable

boiling Point: $< -21 \,^{\circ}\text{C}$ flash point: $> 280 \,^{\circ}\text{C}$ flash point: $> 210 \,^{\circ}\text{C}$

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 6 | 10

evaporation Rate: no data available.

flammability (solid, gas): no data available.

flammability limit - Upper (%)—: 10,0 %(V) flammability Limit - Lower (%)—: 1,0 %(V) vapor pressure: < 0,005 hPa

vapor density (air=1): no data available. density: 0,84 g/cm3 (15 °C)

solubility(ies)

solubility in Water: unsoluble in water solubility (other): no data available.

partition coefficient (n- > 6,0

octanol/water):

autoignition Temperature:

autoignition Temperature: > 320 °C

decomposition Temperature: no data available.

kinematic viscosity: 90 - 110 mm2/s (40 °C)

explosive properties: no data available.
oxidizing properties: no data available.
9.2 other information no data available.

SECTION 10:stability and reactivity

10.1 reactivity Stable under normal use conditions.

10.2 chemical stability no data available.

10.3 possibility of hazardous

reactions

none

10.4 conditions to avoid Avoid heat or contamination.

10.5 incompatible materials | | Strong oxidizing substances. Strong acids. Strong bases.

10.6 hazardous decomposition

products

Thermal decomposition or combustion may liberate carbon oxides

and other toxic gases or vapors.

SECTION 11:toxicological information

11.1 information on likely routes of exposure

Acute toxicity

Oral Not classified for acute toxicity based on available data.

product:

Dermal Not classified for acute toxicity based on available data.

product:

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017 7 | 10

Inhalation Not classified for acute toxicity based on available data.

product:

skin corrosion/irritation: no data available.

product:

serious eye damage/eye irritation

product:

no data available.

respiratory or skin sensitization: no data available.

germ cell mutagenicity no data available.

product:

carcinogenicity no data available.

product:

reproductive toxicity no data available.

product:

specific target organ toxicity - single no data available.

exposure product:

specific target organ toxicity -

no data available.

repeated exposure

product:

aspiration hazard

no data available.

product:

other adverse effects: no data available.

SECTION 12: Ecological information

12.1 Toxicity

Acute toxicity no data available.

product:

chronic toxicity product: no data available.

12.2 Persistence and Degradability

Biodegradation no data available.

product:

12.3 Bioaccumulative potential

product: no data available.

12.4 mobility in soil

product: no data available.

12.5 results of PBT and vPvB no data available.

assessment:

According to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 8 | 10 date of issue: 08.12.2017

12.6 other adverse effects

water hazard class (WGK): WGK 1: slightly water-endangering.

SECTION 13: disposal considerations

13.1 waste treatment methods

general information: Dispose in accordance with all applicable regulations.

disposal methods: Do not empty into drains; dispose of this material and ist

container in a safe way. When storing used products, ensure

that the waste categories and mixing instructions are

observed.

SECTION 14: transport information

ADR/RID

14.1 UN number:

14.2 UN proper

shipping name:

14.3 transport hazard class(es) non-dangerous goods

class

label(s)

hazard no. (ADR):

tunnel restriction code:

14.4 packing group:

14.5 environmental hazards:

14.6 special precautions for user:

ADN

14.1 UN number:

14.2 UN proper

shipping name:

14.3 transport hazard class(es) non-dangerous goods

class

14.4 packing group:

14.5 environmental hazards:

14.6 special precautions for user:

IMDG

SAFETY DATA SHEETAccording to Regulation (EC) No. 1907/2006 (REACH) Article 31, Annex II as amended.

KHS Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 date of issue: 08.12.2017		9 10
14.1 UN number:		
14.2 UN proper		
shipping name:		
14.3 transport hazard class(es) class	non-dangerous goods	
14.4 packing group:		
14.5 environmental hazards:		
14.6 special precautions for user:		
, the second second		
IATA		
14.1 UN number:		
14.2 UN proper		
shipping name:		
14.3 transport hazard class(es)	non-dangerous goods	
class		
14.4 packing group:		
14.5 environmental hazards:14.6 special precautions for user:		
SECTION 15: regulatory informati	on	
15.1 Safety, health and environmen	tal regulations/legislation specific for the substance or mixture:	
EU Regulations		
Regulation (EC) No. 2037/2000	none	
Substances that deplete the ozone		
layer:		
Description (EC) No. 050/2004 on		
Regulation (EC) No. 850/2004 on persistent organic pollutants:	none	
persistent organic ponatants.		
national regulations		
national regulations water hazard class (WGK):	WGK 1: slightly water-endangering.	
-	WGK 1: slightly water-endangering.	
-	WGK 1: slightly water-endangering. No Chemical Safety Assessment has been carried out.	

Filling and Packaging – Worldwide

Pressure Fluid 100

date of version: 05.02.2018 V 1.1 10 | 10 date of issue:

SECTION 16: other information

revision Information: Vertical lines in the margin indicate an amendment.

wording of the H-statements H315 Causes skin irritation.

in section 2 and 3

H317 May cause an allergic skin reaction

H318 Causes serious eye damage

H412 Harmful to aquatic life with long lasting effects

other information: The classification is in line with current EC lists. It is expanded, however, by

> information from technical literature and by information furnished by supplier companies. The classification results from the Conventional

Method mentioned in regulation EU 1272/2008 (CLP).

revision date: 05.02.2018

section 10.5 has been corrected.

disclaimer: The data contained in this safety data sheet are based on our current

> knowledge and experience and are given to the best of our knowledge and belief. It characterizes the product only with regard to safety requirements

> for handling, transport and disposal. The data do not describe the product's properties (tech. product specification). Neither should any agreed property nor the suitability of the product for any specific technical application be deduced from the data contained in this safety data sheet. Modifications on this document are not allowed. The data are not

transferable to other products. In the case of mixing the product with other products or in the case of processing, the data in this safety data sheet are not necessarily valid for the new-made material. It is the responsibility of the recipient of the product to observe federal, state and local law. Please contact us to obtain up-to-date safety data sheets. This

document was issued electronically and has no signature.